

HEAT SHRINK TUBING

THIN WALL TUBING



- THIN WALL HEAT SHRINK TUBING IS SOLD IN A 48" STICK (4 FT.)
- OPERATING TEMPERATURE OF -55C TO 135C
- SHRINK RATIO OF 2:1
- VOLTAGE RATING 600V

<u>TUBING SIZE</u>	<u>WIRE RANGE</u>
3/64"	0.024-0.038
1/16"	0.033-0.050
3/32"	0.048-0.075
1/8"	22-18 AWG
3/16"	16-12 AWG
1/4"	12-10 AWG
3/8"	8 AWG
1/2"	6-4 AWG
3/4"	2-2/0 AWG
1"	2/0-300 MCM
1-1/2"	350-750 MCM
2"	1.05-1.6
3"	1.58-2.4
4"	2.10-3.2

<u>PART NUMBER</u>	<u>TUBE SIZE</u>
710-0105	3/64" BLACK
710-0200	1/16" CLEAR
710-0205	1/16" BLACK
710-0300	3/32" CLEAR
710-0305	3/32" BLACK
710-0400	1/8" CLEAR
710-0401	1/8" RED
710-0405	1/8" BLACK
710-0500	3/16" CLEAR
710-0501	3/16" RED
710-0502	3/16" WHITE
710-0505	3/16" BLACK
710-0600	1/4" CLEAR
710-0601	1/4" RED
710-0602	1/4" WHITE
710-0605	1/4" BLACK
710-0700	3/8" CLEAR
710-0701	3/8" RED
710-0702	3/8" WHITE
710-0705	3/8" BLACK
710-0800	1/2" CLEAR
710-0801	1/2" RED
710-0805	1/2" BLACK
710-0900	3/4" CLEAR
710-0901	3/4" RED
710-0905	3/4" BLACK
710-0906	3/4" YELLOW
710-1000	1" CLEAR
710-1001	1" RED
710-1004	1" GREEN
710-1005	1" BLACK
710-1006	1" YELLOW
710-1105	1-1/2" BLACK
710-1205	2" BLACK
710-1305	3" BLACK
710-1405	4" BLACK

MEDIUM WALL W/ ADHESIVE



<u>PART NUMBER</u>	<u>TUBE SIZE</u>
712-0401	1/8" RED
712-0405	1/8" BLACK
712-0501	3/16" RED
712-0505	3/16" BLACK
712-0601	1/4" RED
712-0605	1/4" BLACK
712-0701	3/8" RED
712-0705	3/8" BLACK
712-0801	1/2" RED
712-0805	1/2" BLACK
712-0901	3/4" RED
712-0905	3/4" BLACK
712-1001	1" RED
712-1005	1" BLACK

- MEDIUM WALL HEAT SHRINK TUBING IS SOLD IN A 48" STICK (4 FT.)
- OPERATING TEMPERATURE OF -55C TO 125C
- SHRINK RATIO OF 3:1
- VOLTAGE RATING 1000V

<u>TUBING SIZE</u>	<u>WIRE RANGE</u>
1/8"	24-18 AWG
3/16"	22-12 AWG
1/4"	20-10 AWG
3/8"	12-8 AWG
1/2"	10-4 AWG
3/4"	6-2/0 AWG
1"	4 AWG-300 MCM

HEAVY WALL W/ ADHESIVE




<u>PART NUMBER</u>	<u>TUBE SIZE</u>
713-0801	1/2" RED
713-0805	1/2" BLACK
713-0901	3/4" RED
713-0905	3/4" BLACK
713-1001	1" RED
713-1005	1" BLACK
713-1105	1-1/2" BLACK
713-1205	2" BLACK

- HEAVY WALL HEAT SHRINK TUBING IS SOLD IN A 12" STICK (1 FT.)
- OPERATING TEMPERATURE OF -55C TO 110C
- SHRINK RATIO OF 3:1
- VOLTAGE RATING 1000V

<u>TUBING SIZE</u>	<u>WIRE RANGE</u>
1/2"	8-6 AWG
3/4"	6-2 AWG
1"	1-3/0 AWG
1-1/2"	2/0-350 MCM
2"	250-500 MCM

THIN WALL SPOOLS



- ALL SPOOLS ARE SOLD IN A 100 FT. ROLLS UNLESS NOTED
- OPERATING TEMPERATURE OF -55C TO 135C
- SHRINK RATIO OF 2:1
- VOLTAGE RATING 600V

<u>PART NUMBER</u>	<u>TUBE SIZE</u>
714-0205	1/16" BLACK 100 FT. SPOOL
714-0305	3/32" BLACK 100 FT. SPOOL
714-0401	1/8" RED 100 FT. SPOOL
714-0405	1/8" BLACK 100 FT. SPOOL
714-0501	3/16" RED 100 FT. SPOOL
714-0505	3/16" BLACK 100 FT. SPOOL
714-0601	1/4" RED 100 FT. SPOOL
714-0605	1/4" BLACK 100 FT. SPOOL
714-0701	3/8" RED 100 FT. SPOOL
714-0705	3/8" BLACK 100 FT. SPOOL
714-0801	1/2" RED 100 FT. SPOOL
714-0805	1/2" BLACK 100 FT. SPOOL
714-0901	3/4" RED 50 FT. SPOOL
714-0905	3/4" BLACK 50 FT. SPOOL
714-0925	3/4" BLACK 100 FT. SPOOL
714-1001	1" RED 50 FT. SPOOL
714-1005	1" BLACK 50 FT. SPOOL
714-1105	1-1/2" BLACK 100 FT. SPOOL
714-1205	2" BLACK 100 FT. SPOOL
714-1305	3" BLACK 98 FT. SPOOL

<u>TUBING SIZE</u>	<u>WIRE RANGE</u>
3/64"	0.024-0.038
1/16"	0.033-0.050
3/32"	0.048-0.075
1/8"	22-18 AWG
3/16"	16-12 AWG
1/4"	12-10 AWG
3/8"	8 AWG
1/2"	6-4 AWG
3/4"	2-2/0 AWG
1"	2/0-300 MCM
1-1/2"	350-750 MCM
2"	1.05-1.6
3"	1.58-2.4

BAGGED HEAT SHRINK TUBING



- BAGGED HEAT SHRINK TUBING ARE SOLD W/ 6" PIECES
- 120C SHRINK TEMPERATURE
- SHRINK RATIO OF 2:1
- FLAME RETARDANT

<u>PART NUMBERS</u>	<u>TUBE SIZE</u>
716-0105	3/64" BLACK 10 PCS.
716-0201	1/16" RED 10 PCS.
716-0205	1/16" BLACK 10 PCS.
716-0290	1/16" ASST. COLORS 10 PCS.
716-0401	1/8" RED 10 PCS.
716-0405	1/8" BLACK 10 PCS.
716-0490	1/8" ASST. COLORS 10 PCS.
716-0501	3/16" RED 10 PCS.
716-0505	3/16" BLACK 10 PCS.
716-0590	3/16" ASST. COLORS 10 PCS.
716-0601	1/4" RED 8 PCS.
716-0605	1/4" BLACK 8 PCS.
716-0690	1/4" ASST. COLORS 10 PCS.
716-0701	3/8" RED 8 PCS.
716-0705	3/8" BLACK 8 PCS.
716-0790	3/8" ASST. COLORS 10 PCS.
716-0801	1/2" RED 6 PCS.
716-0805	1/2" BLACK 6 PCS.
716-0890	1/2" ASST. COLORS 10 PCS.
716-0901	3/4" RED 4 PCS.
716-0905	3/4" BLACK 4 PCS.
716-1001	1" RED 4 PCS.
716-1005	1" BLACK 4 PCS.
716-3002	1/16"-1" CLEAR 12 PCS.
716-3003	1/16"-1" BLACK 12 PCS.
716-3007	1/16"-3/8" CLEAR 25 PCS.
716-3008	1/16"-3/8" BLACK 25 PCS.